

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
AdA: Adelphia-----	50	Very limited Frost action Shrink-swell	1.00 0.50	Somewhat limited Depth to saturated zone Cutbanks cave	0.99 0.10	Not limited	
Holmdel-----	30	Very limited Frost action Depth to saturated zone	1.00 0.03	Very limited Depth to saturated zone Cutbanks cave	1.00 0.10	Somewhat limited Depth to saturated zone	0.03
AdB: Adelphia-----	40	Very limited Frost action Shrink-swell	1.00 0.50	Somewhat limited Depth to saturated zone Cutbanks cave	0.99 0.10	Not limited	
Holmdel-----	40	Very limited Frost action Depth to saturated zone	1.00 0.03	Very limited Cutbanks cave Depth to saturated zone	1.00 1.00	Somewhat limited Depth to saturated zone	0.03
AdC: Adelphia-----	40	Very limited Frost action Shrink-swell Slope	1.00 0.50 0.01	Somewhat limited Depth to saturated zone Cutbanks cave Slope	0.99 0.10 0.01	Somewhat limited Slope	0.01
Holmdel-----	40	Very limited Frost action Depth to saturated zone Slope	1.00 0.03 0.01	Very limited Cutbanks cave Depth to saturated zone Slope	1.00 1.00 0.01	Somewhat limited Depth to saturated zone Slope	0.03 0.01
AeB: Adelphia-----	30	Very limited Frost action Shrink-swell	1.00 0.50	Somewhat limited Depth to saturated zone Cutbanks cave	0.99 0.10	Not limited	
Holmdel-----	30	Very limited Frost action	1.00	Very limited Cutbanks cave Depth to saturated zone	1.00 0.99	Not limited	

Table ENG-4.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Urban Land-----	30	Not rated		Not rated		Not rated	
AfB: Alloway-----	40	Very limited Frost action	1.00	Somewhat limited Depth to saturated zone Too clayey Cutbanks cave	0.99 0.28 0.10	Not limited	
Sassafras-----	30	Somewhat limited Frost action	0.50	Very limited Cutbanks cave	1.00	Not limited	
AfC: Alloway-----	40	Very limited Frost action Slope	1.00 0.01	Somewhat limited Depth to saturated zone Too clayey Cutbanks cave Slope	0.99 0.28 0.10 0.01	Somewhat limited Slope	0.01
Sassafras-----	30	Somewhat limited Frost action Slope	0.50 0.01	Very limited Cutbanks cave Slope	1.00 0.01	Somewhat limited Slope	0.01
AnB: Alloway-----	30	Very limited Frost action	1.00	Somewhat limited Depth to saturated zone Too clayey Cutbanks cave	0.99 0.28 0.10	Not limited	
Sassafras-----	30	Somewhat limited Frost action	0.50	Very limited Cutbanks cave	1.00	Not limited	
Urban Land-----	30	Not rated		Not rated		Not rated	
AnD: Alloway-----	30	Very limited Frost action Slope	1.00 0.16	Somewhat limited Depth to saturated zone Too clayey Slope Cutbanks cave	0.99 0.28 0.16 0.10	Somewhat limited Slope	0.16
Sassafras-----	30	Somewhat limited Frost action Slope	0.50 0.16	Very limited Cutbanks cave Slope	1.00 0.16	Somewhat limited Slope	0.16
Urban Land-----	30	Not rated		Not rated		Not rated	
AoA: Annapolis-----	70	Not limited		Very limited Cutbanks cave	1.00	Not limited	

Table ENG-4.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
AoB: Annapolis-----	80	Not limited		Very limited Cutbanks cave	1.00	Not limited	
AoC: Annapolis-----	75	Somewhat limited Slope	0.01	Very limited Cutbanks cave Slope	1.00 0.01	Somewhat limited Slope	0.01
AsA: Annapolis-----	80	Not limited		Very limited Cutbanks cave	1.00	Not limited	
AsB: Annapolis-----	80	Not limited		Very limited Cutbanks cave	1.00	Not limited	
AsC: Annapolis-----	80	Somewhat limited Slope	0.01	Very limited Cutbanks cave Slope	1.00 0.01	Somewhat limited Slope	0.01
AsE: Annapolis-----	60	Very limited Slope	1.00	Very limited Cutbanks cave Slope	1.00 1.00	Very limited Slope	1.00
AsF: Annapolis-----	60	Very limited Slope	1.00	Very limited Slope Cutbanks cave	1.00 1.00	Very limited Slope	1.00
AsG: Annapolis-----	60	Very limited Slope	1.00	Very limited Slope Cutbanks cave	1.00 1.00	Very limited Slope	1.00
AuB: Annapolis-----	50	Not limited		Very limited Cutbanks cave	1.00	Not limited	
Urban Land-----	40	Not rated		Not rated		Not rated	
AuD: Annapolis-----	50	Somewhat limited Slope	0.16	Very limited Cutbanks cave Slope	1.00 0.16	Somewhat limited Slope	0.16
Urban Land-----	35	Not rated		Not rated		Not rated	
CaB: Chillum-----	60	Very limited Frost action	1.00	Very limited Cutbanks cave	1.00	Not limited	

Table ENG-4.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
CaC: Chillum-----	60	Very limited Frost action Slope	1.00 0.01	Very limited Cutbanks cave Slope	1.00 0.01	Somewhat limited Slope	0.01
CbB: Chillum-----	40	Very limited Frost action	1.00	Very limited Cutbanks cave	1.00	Not limited	
Urban Land-----	40	Not rated		Not rated		Not rated	
CHA: Codorus-----	40	Very limited Frost action	1.00	Very limited Depth to saturated zone	1.00	Very limited Flooding	1.00
		Flooding	1.00	Cutbanks cave	1.00	Depth to saturated zone	0.75
		Depth to saturated zone	0.75	Flooding	0.80		
Hatboro-----	30	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Flooding	1.00
		Frost action	1.00	Cutbanks cave	1.00	Depth to saturated zone	1.00
		Flooding	1.00	Flooding	0.80		
CkA: Colemantown-----	80	Very limited Ponding	1.00	Very limited Ponding	1.00	Very limited Ponding	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Frost action	1.00	Too clayey	0.28		
		Shrink-swell	0.50	Cutbanks cave	0.10		
		Flooding	0.40				
CmA: Colemantown-----	70	Very limited Ponding	1.00	Very limited Ponding	1.00	Very limited Ponding	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Frost action	1.00	Too clayey	0.28		
		Shrink-swell	0.50	Cutbanks cave	0.10		
		Flooding	0.40				
CnB: Colemantown-----	40	Very limited Ponding	1.00	Very limited Ponding	1.00	Very limited Ponding	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Frost action	1.00	Too clayey	0.28		
		Shrink-swell	0.50	Cutbanks cave	0.10		
		Flooding	0.40				
Urban Land-----	30	Not rated		Not rated		Not rated	

Table ENG-4.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
CoA: Collington-----	60	Somewhat limited Shrink-swell	0.50	Very limited Cutbanks cave	1.00	Not limited	
Wist-----	25	Not limited		Somewhat limited Depth to saturated zone Cutbanks cave	0.26 0.10	Not limited	
CoB: Collington-----	50	Somewhat limited Shrink-swell	0.50	Very limited Cutbanks cave	1.00	Not limited	
Wist-----	30	Not limited		Somewhat limited Depth to saturated zone Cutbanks cave	0.26 0.10	Not limited	
CoC: Collington-----	40	Somewhat limited Shrink-swell Slope	0.50 0.01	Very limited Cutbanks cave Slope	1.00 0.01	Somewhat limited Slope	0.01
Wist-----	35	Somewhat limited Slope	0.01	Somewhat limited Depth to saturated zone Cutbanks cave Slope	0.26 0.10 0.01	Somewhat limited Slope	0.01
CpB: Urban Land-----	35	Not rated		Not rated		Not rated	
Collington-----	25	Somewhat limited Shrink-swell	0.50	Very limited Cutbanks cave	1.00	Not limited	
Wist-----	25	Not limited		Somewhat limited Depth to saturated zone Cutbanks cave	0.26 0.10	Not limited	
CpD: Urban Land-----	35	Not rated		Not rated		Not rated	
Collington-----	25	Somewhat limited Shrink-swell Slope	0.50 0.16	Very limited Cutbanks cave Slope	1.00 0.16	Somewhat limited Slope	0.16
Wist-----	25	Somewhat limited Slope	0.16	Somewhat limited Depth to saturated zone Slope Cutbanks cave	0.26 0.16 0.10	Somewhat limited Slope	0.16

Table ENG-4.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
CRD: Collington-----	40	Somewhat limited Slope Shrink-swell	0.63 0.50	Very limited Cutbanks cave Slope	1.00 0.63	Somewhat limited Slope	0.63
Annapolis-----	25	Somewhat limited Slope	0.84	Very limited Cutbanks cave Slope	1.00 0.84	Somewhat limited Slope	0.84
CSE: Collington-----	40	Very limited Slope Shrink-swell	1.00 0.50	Very limited Cutbanks cave Slope	1.00 1.00	Very limited Slope	1.00
Westphalia-----	25	Very limited Slope Frost action	1.00 0.50	Very limited Cutbanks cave Slope	1.00 1.00	Very limited Slope	1.00
Wist-----	25	Very limited Slope	1.00	Very limited Slope Depth to saturated zone Cutbanks cave	1.00 0.26 0.10	Very limited Slope	1.00
CSF: Collington-----	40	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Cutbanks cave	1.00 1.00	Very limited Slope	1.00
Westphalia-----	25	Very limited Slope Frost action	1.00 0.50	Very limited Slope Cutbanks cave	1.00 1.00	Very limited Slope	1.00
Wist-----	25	Very limited Slope	1.00	Very limited Slope Depth to saturated zone Cutbanks cave	1.00 0.26 0.10	Very limited Slope	1.00
CSG: Collington-----	40	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Cutbanks cave	1.00 1.00	Very limited Slope	1.00
Westphalia-----	25	Very limited Slope Frost action	1.00 0.50	Very limited Slope Cutbanks cave	1.00 1.00	Very limited Slope	1.00
Wist-----	25	Very limited Slope	1.00	Very limited Slope Depth to saturated zone Cutbanks cave	1.00 0.26 0.10	Very limited Slope	1.00
CTA: Comus-----	40	Very limited Flooding Frost action	1.00 0.50	Very limited Cutbanks cave Flooding	1.00 0.80	Very limited Flooding	1.00

Table ENG-4.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Codorus-----	35	Very limited Frost action	1.00	Very limited Depth to saturated zone	1.00	Very limited Flooding	1.00
		Flooding	1.00	Cutbanks cave	1.00	Depth to saturated zone	0.75
		Depth to saturated zone	0.75	Flooding	0.80		
CxA: Cumberlandstone-----	45	Very limited Frost action	1.00	Somewhat limited Depth to saturated zone	0.99	Not limited	
		Low strength	1.00	Cutbanks cave	0.10		
Mattapex-----	25	Somewhat limited Frost action	0.50	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.03
		Depth to saturated zone	0.03	Cutbanks cave	0.10		
CxB: Cumberlandstone-----	40	Very limited Frost action	1.00	Somewhat limited Depth to saturated zone	0.99	Not limited	
		Low strength	1.00	Cutbanks cave	0.10		
Mattapex-----	40	Somewhat limited Frost action	0.50	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.03
		Depth to saturated zone	0.03	Cutbanks cave	0.10		
CxC: Cumberlandstone-----	40	Very limited Frost action	1.00	Somewhat limited Depth to saturated zone	0.99	Somewhat limited Slope	0.01
		Low strength	1.00	Cutbanks cave	0.10		
		Slope	0.01	Slope	0.01		
Mattapex-----	35	Somewhat limited Frost action	0.50	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.03
		Depth to saturated zone	0.03	Cutbanks cave	0.10	Slope	0.01
		Slope	0.01	Slope	0.01		
CyB: Cumberlandstone-----	30	Very limited Frost action	1.00	Somewhat limited Depth to saturated zone	0.99	Not limited	
		Low strength	1.00	Cutbanks cave	0.10		
Mattapex-----	30	Somewhat limited Frost action	0.50	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.03
		Depth to saturated zone	0.03	Cutbanks cave	0.10		

Table ENG-4.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Urban Land-----	25	Not rated		Not rated		Not rated	
CyD: Cumberstone-----	30	Very limited Frost action	1.00	Somewhat limited Depth to saturated zone	0.99	Somewhat limited Slope	0.16
		Low strength Slope	1.00 0.16	Slope Cutbanks cave	0.16 0.10		
Mattapex-----	25	Somewhat limited Frost action	0.50	Very limited Depth to saturated zone	1.00	Somewhat limited Slope	0.16
		Slope	0.16	Slope	0.16	Depth to saturated zone	0.03
		Depth to saturated zone	0.03	Cutbanks cave	0.10		
Urban Land-----	20	Not rated		Not rated		Not rated	
DcA: Deale-----	40	Very limited Low strength	1.00	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.94
		Depth to saturated zone Shrink-swell	0.94 0.02	Cutbanks cave	0.10		
Shadyoak-----	20	Very limited Depth to saturated zone Shrink-swell Frost action	1.00 0.50 0.50	Very limited Depth to saturated zone Cutbanks cave	1.00 0.10	Very limited Depth to saturated zone	1.00
DeA: Deale-----	35	Very limited Low strength	1.00	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.94
		Depth to saturated zone Shrink-swell	0.94 0.02	Cutbanks cave	0.10		
Urban Land-----	30	Not rated		Not rated		Not rated	
Shadyoak-----	20	Very limited Depth to saturated zone Shrink-swell Frost action	1.00 0.50 0.50	Very limited Depth to saturated zone Cutbanks cave	1.00 0.10	Very limited Depth to saturated zone	1.00
DfA: Dodon-----	75	Not limited		Very limited Depth to saturated zone Cutbanks cave	1.00 0.10	Not limited	

Table ENG-4.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
DfB: Dodon-----	75	Not limited		Very limited Depth to saturated zone Cutbanks cave	1.00 0.10	Not limited	
DfC: Dodon-----	75	Somewhat limited Slope	0.01	Very limited Depth to saturated zone Cutbanks cave Slope	1.00 0.10 0.01	Somewhat limited Slope	0.01
DnA: Donlonton-----	65	Very limited Frost action Shrink-swell Depth to saturated zone	1.00 0.50 0.43	Very limited Depth to saturated zone Cutbanks cave	1.00 0.10	Somewhat limited Depth to saturated zone	0.43
DnB: Donlonton-----	65	Very limited Frost action Shrink-swell Depth to saturated zone	1.00 0.50 0.43	Very limited Depth to saturated zone Cutbanks cave	1.00 0.10	Somewhat limited Depth to saturated zone	0.43
DuB: Donlonton-----	40	Very limited Frost action Shrink-swell Depth to saturated zone	1.00 0.50 0.43	Very limited Depth to saturated zone Cutbanks cave	1.00 0.10	Somewhat limited Depth to saturated zone	0.43
Urban Land-----	35	Not rated		Not rated		Not rated	
DvB: Downer-----	40	Not limited		Very limited Cutbanks cave	1.00	Somewhat limited Droughty	0.01
Hammonton-----	20	Somewhat limited Frost action	0.50	Very limited Cutbanks cave Depth to saturated zone	1.00 1.00	Not limited	
DvC: Downer-----	50	Somewhat limited Slope	0.01	Very limited Cutbanks cave Slope	1.00 0.01	Somewhat limited Droughty Slope	0.04 0.01

Table ENG-4.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Hammonton-----	20	Somewhat limited Frost action Slope	0.50 0.01	Very limited Cutbanks cave Depth to saturated zone Slope	1.00 1.00 0.01	Somewhat limited Slope	0.01
DvD: Downer-----	40	Somewhat limited Slope	0.84	Very limited Cutbanks cave Slope	1.00 0.84	Somewhat limited Slope Droughty	0.84 0.10
Hammonton-----	15	Somewhat limited Slope Frost action	0.84 0.50	Very limited Cutbanks cave Depth to saturated zone Slope	1.00 1.00 0.84	Somewhat limited Slope	0.84
DwB: Downer-----	25	Not limited		Very limited Cutbanks cave	1.00	Somewhat limited Droughty	0.01
Urban Land-----	25	Not rated		Not rated		Not rated	
Hammonton-----	20	Somewhat limited Frost action	0.50	Very limited Cutbanks cave Depth to saturated zone	1.00 1.00	Not limited	
DwD: Downer-----	30	Somewhat limited Slope	0.16	Very limited Cutbanks cave Slope	1.00 0.16	Somewhat limited Slope Droughty	0.16 0.04
Urban Land-----	25	Not rated		Not rated		Not rated	
Hammonton-----	20	Somewhat limited Frost action Slope	0.50 0.16	Very limited Cutbanks cave Depth to saturated zone Slope	1.00 1.00 0.16	Somewhat limited Slope	0.16
DxB: Downer-----	40	Not limited		Very limited Cutbanks cave	1.00	Somewhat limited Droughty	0.01
Phalanx-----	35	Not limited		Very limited Cutbanks cave	1.00	Very limited Droughty	1.00
DxC: Downer-----	40	Somewhat limited Slope	0.01	Very limited Cutbanks cave Slope	1.00 0.01	Somewhat limited Droughty Slope	0.04 0.01

Table ENG-4.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Phalanx-----	35	Somewhat limited Slope	0.01	Very limited Cutbanks cave Slope	1.00 0.01	Very limited Droughty Slope	1.00 0.01
DxD: Downer-----	40	Somewhat limited Slope	0.84	Very limited Cutbanks cave Slope	1.00 0.84	Somewhat limited Slope Droughty	0.84 0.10
Phalanx-----	35	Somewhat limited Slope	0.84	Very limited Cutbanks cave Slope	1.00 0.84	Very limited Droughty Slope	1.00 0.84
EuB: Evesboro-----	25	Not limited		Very limited Cutbanks cave	1.00	Somewhat limited Droughty	0.34
Urban Land-----	25	Not rated		Not rated		Not rated	
Galestown-----	20	Not limited		Very limited Cutbanks cave	1.00	Somewhat limited Droughty	0.77
EuD: Evesboro-----	30	Somewhat limited Slope	0.16	Very limited Cutbanks cave Slope	1.00 0.16	Somewhat limited Droughty Slope	0.34 0.16
Urban Land-----	25	Not rated		Not rated		Not rated	
Galestown-----	15	Somewhat limited Slope	0.16	Very limited Cutbanks cave Slope	1.00 0.16	Somewhat limited Droughty Slope	0.77 0.16
EuE: Evesboro-----	30	Very limited Slope	1.00	Very limited Cutbanks cave Slope	1.00 1.00	Very limited Slope Droughty	1.00 0.34
Urban Land-----	25	Not rated		Not rated		Not rated	
Galestown-----	15	Very limited Slope	1.00	Very limited Cutbanks cave Slope	1.00 1.00	Very limited Slope Droughty	1.00 0.77
EVC: Evesboro-----	45	Somewhat limited Slope	0.01	Very limited Cutbanks cave Slope	1.00 0.01	Somewhat limited Droughty Slope	0.65 0.01
Galestown-----	20	Somewhat limited Slope	0.01	Very limited Cutbanks cave Slope	1.00 0.01	Somewhat limited Droughty Slope	0.81 0.01

Table ENG-4.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
FaA: Fallsington-----	60	Very limited Depth to saturated zone Frost action	1.00 0.50	Very limited Depth to saturated zone Cutbanks cave	1.00 1.00	Very limited Depth to saturated zone	1.00
FrA: Fallsington-----	40	Very limited Depth to saturated zone Frost action	1.00 0.50	Very limited Depth to saturated zone Cutbanks cave	1.00 1.00	Very limited Depth to saturated zone	1.00
Urban Land-----	30	Not rated		Not rated		Not rated	
GaB: Galestown-----	75	Not limited		Very limited Cutbanks cave	1.00	Somewhat limited Droughty	0.77
HmB: Annapolis-----	40	Not limited		Very limited Cutbanks cave	1.00	Not limited	
Howell-----	40	Somewhat limited Shrink-swell Frost action	0.94 0.50	Somewhat limited Cutbanks cave Too clayey	0.10 0.03	Not limited	
HmC: Howell-----	45	Somewhat limited Shrink-swell Frost action	0.94 0.50	Somewhat limited Cutbanks cave Too clayey	0.10 0.03	Not limited	
Annapolis-----	40	Somewhat limited Slope	0.01	Very limited Cutbanks cave Slope	1.00 0.01	Somewhat limited Slope	0.01
HMD: Annapolis-----	40	Somewhat limited Slope	0.84	Very limited Cutbanks cave Slope	1.00 0.84	Somewhat limited Slope	0.84
Howell-----	40	Somewhat limited Shrink-swell Slope Frost action	0.94 0.84 0.50	Somewhat limited Slope Cutbanks cave Too clayey	0.84 0.10 0.03	Somewhat limited Slope	0.84
HME: Annapolis-----	40	Very limited Slope	1.00	Very limited Cutbanks cave Slope	1.00 1.00	Very limited Slope	1.00
Howell-----	40	Very limited Slope Shrink-swell Frost action	1.00 0.94 0.50	Very limited Slope Cutbanks cave Too clayey	1.00 0.10 0.03	Very limited Slope	1.00

Table ENG-4.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
HoA: Dodon-----	40	Not limited		Very limited Depth to saturated zone Cutbanks cave	1.00 0.10	Not limited	
Howell-----	40	Somewhat limited Shrink-swell Frost action	0.94 0.50	Somewhat limited Cutbanks cave Too clayey	0.10 0.03	Not limited	
HoB: Dodon-----	40	Not limited		Very limited Depth to saturated zone Cutbanks cave	1.00 0.10	Not limited	
Howell-----	40	Somewhat limited Shrink-swell Frost action	0.94 0.50	Somewhat limited Cutbanks cave Too clayey	0.10 0.03	Not limited	
HoC: Dodon-----	40	Somewhat limited Slope	0.01	Very limited Depth to saturated zone Cutbanks cave Slope	1.00 0.10 0.01	Somewhat limited Slope	0.01
Howell-----	40	Somewhat limited Shrink-swell Frost action	0.94 0.50	Somewhat limited Cutbanks cave Too clayey	0.10 0.03	Not limited	
HOD: Dodon-----	40	Somewhat limited Slope	0.84	Very limited Depth to saturated zone Slope Cutbanks cave	1.00 0.84 0.10	Somewhat limited Slope	0.84
Howell-----	40	Somewhat limited Shrink-swell Slope Frost action	0.94 0.84 0.50	Somewhat limited Slope Cutbanks cave Too clayey	0.84 0.10 0.03	Somewhat limited Slope	0.84
HOE: Dodon-----	40	Very limited Slope	1.00	Very limited Slope Depth to saturated zone Cutbanks cave	1.00 1.00 0.10	Very limited Slope	1.00
Howell-----	40	Very limited Slope Shrink-swell Frost action	1.00 0.94 0.50	Very limited Slope Cutbanks cave Too clayey	1.00 0.10 0.03	Very limited Slope	1.00

Table ENG-4.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
HOF: Dodon-----	40	Very limited Slope	1.00	Very limited Slope Depth to saturated zone Cutbanks cave	1.00 1.00 0.10	Very limited Slope	1.00
Howell-----	40	Very limited Slope Shrink-swell Frost action	1.00 0.94 0.50	Very limited Slope Cutbanks cave Too clayey	1.00 0.10 0.03	Very limited Slope	1.00
MaB: Dodon-----	40	Not limited		Very limited Depth to saturated zone Cutbanks cave	1.00 0.10	Not limited	
Marr-----	40	Not limited		Very limited Cutbanks cave	1.00	Not limited	
MaC: Dodon-----	35	Somewhat limited Slope	0.01	Very limited Depth to saturated zone Cutbanks cave Slope	1.00 0.10 0.01	Somewhat limited Slope	0.01
Marr-----	35	Somewhat limited Slope	0.01	Very limited Cutbanks cave Slope	1.00 0.01	Somewhat limited Slope	0.01
MaD: Dodon-----	35	Somewhat limited Slope	0.84	Very limited Depth to saturated zone Slope Cutbanks cave	1.00 0.84 0.10	Somewhat limited Slope	0.84
Marr-----	35	Somewhat limited Slope	0.84	Very limited Cutbanks cave Slope	1.00 0.84	Somewhat limited Slope	0.84
MDE: Dodon-----	35	Very limited Slope	1.00	Very limited Slope Depth to saturated zone Cutbanks cave	1.00 1.00 0.10	Very limited Slope	1.00
Marr-----	35	Very limited Slope	1.00	Very limited Cutbanks cave Slope	1.00 1.00	Very limited Slope	1.00
MDF: Marr-----	35	Very limited Slope	1.00	Very limited Slope Cutbanks cave	1.00 1.00	Very limited Slope	1.00

Table ENG-4.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Dodon-----	30	Very limited Slope	1.00	Very limited Slope Depth to saturated zone Cutbanks cave	1.00 1.00 0.10	Very limited Slope	1.00
MgB: Dodon-----	30	Not limited		Very limited Depth to saturated zone Cutbanks cave	1.00 0.10	Not limited	
Marr-----	30	Not limited		Very limited Cutbanks cave	1.00	Not limited	
Urban Land-----	30	Not rated		Not rated		Not rated	
MgD: Dodon-----	30	Somewhat limited Slope	0.16	Very limited Depth to saturated zone Slope Cutbanks cave	1.00 0.16 0.10	Somewhat limited Slope	0.16
Marr-----	30	Somewhat limited Slope	0.16	Very limited Cutbanks cave Slope	1.00 0.16	Somewhat limited Slope	0.16
Urban Land-----	30	Not rated		Not rated		Not rated	
MmA: Matapeake-----	60	Somewhat limited Frost action	0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
MmC: Matapeake-----	50	Somewhat limited Frost action Slope	0.50 0.01	Somewhat limited Cutbanks cave Slope	0.10 0.01	Somewhat limited Slope	0.01
MpB: Matapeake-----	30	Somewhat limited Frost action	0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
Urban Land-----	30	Not rated		Not rated		Not rated	
MpD: Matapeake-----	30	Somewhat limited Frost action Slope	0.50 0.16	Somewhat limited Slope Cutbanks cave	0.16 0.10	Somewhat limited Slope	0.16
Urban Land-----	30	Not rated		Not rated		Not rated	

Table ENG-4.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MRD: Matapeake-----	40	Somewhat limited Slope Frost action	0.84 0.50	Somewhat limited Slope Cutbanks cave	0.84 0.10	Somewhat limited Slope	0.84
Mattapex-----	30	Somewhat limited Slope Frost action Depth to saturated zone	0.84 0.50 0.03	Very limited Depth to saturated zone Slope Cutbanks cave	1.00 0.84 0.10	Somewhat limited Slope Depth to saturated zone	0.84 0.03
MtA: Mattapex-----	60	Somewhat limited Frost action Depth to saturated zone	0.50 0.03	Very limited Depth to saturated zone Cutbanks cave	1.00 0.10	Somewhat limited Depth to saturated zone	0.03
MtB: Mattapex-----	60	Somewhat limited Frost action Depth to saturated zone	0.50 0.03	Very limited Depth to saturated zone Cutbanks cave	1.00 0.10	Somewhat limited Depth to saturated zone	0.03
MtC: Mattapex-----	60	Somewhat limited Frost action Depth to saturated zone Slope	0.50 0.03 0.01	Very limited Depth to saturated zone Cutbanks cave Slope	1.00 0.10 0.01	Somewhat limited Depth to saturated zone Slope	0.03 0.01
MxB: Mattapex-----	35	Somewhat limited Frost action Depth to saturated zone	0.50 0.03	Very limited Cutbanks cave Depth to saturated zone	1.00 1.00	Somewhat limited Depth to saturated zone	0.03
Butlertown-----	30	Very limited Frost action	1.00	Somewhat limited Depth to saturated zone Cutbanks cave	0.95 0.10	Not limited	
MxC: Mattapex-----	45	Somewhat limited Frost action Depth to saturated zone Slope	0.50 0.03 0.01	Very limited Depth to saturated zone Cutbanks cave Slope	1.00 0.10 0.01	Somewhat limited Depth to saturated zone Slope	0.03 0.01

Table ENG-4.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Butlertown-----	25	Very limited Frost action	1.00	Somewhat limited Depth to saturated zone	0.95	Somewhat limited Slope	0.01
		Slope	0.01	Cutbanks cave Slope	0.10 0.01		
MyB: Mattapex-----	30	Somewhat limited Frost action	0.50	Very limited Cutbanks cave	1.00	Somewhat limited Depth to saturated zone	0.03
		Depth to saturated zone	0.03	Depth to saturated zone	1.00		
Urban Land-----	25	Not rated		Not rated		Not rated	
Butlertown-----	20	Very limited Frost action	1.00	Somewhat limited Depth to saturated zone	0.95	Not limited	
				Cutbanks cave	0.10		
MZA: Mispillion-----	40	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Flooding	1.00
		Subsidence	1.00	Content of organic matter	1.00	Content of organic matter	1.00
		Flooding	1.00	Flooding Cutbanks cave	0.80 0.10	Salinity Depth to saturated zone Sulfur content	1.00 1.00 1.00
Transquaking-----	40	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Flooding	1.00
		Subsidence	1.00	Content of organic matter	1.00	Content of organic matter	1.00
		Flooding	1.00	Flooding Cutbanks cave	0.80 0.10	Salinity Depth to saturated zone Sulfur content	1.00 1.00 1.00
NMA: Mannington-----	40	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Flooding	1.00
		Flooding	1.00	Content of organic matter	1.00	Depth to saturated zone	1.00
				Flooding Cutbanks cave	0.80 0.10		
Nanticoke-----	40	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Flooding	1.00
		Flooding	1.00	Content of organic matter	1.00	Depth to saturated zone	1.00
				Flooding Cutbanks cave	0.80 0.10		

Table ENG-4.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
PeB: Patapsco-----	30	Not limited		Very limited Cutbanks cave Depth to saturated zone	1.00 0.28	Very limited Droughty Too sandy	1.00 0.50
Evesboro-----	20	Not limited		Very limited Cutbanks cave	1.00	Somewhat limited Droughty	0.69
Fort Mott-----	20	Somewhat limited Frost action	0.50	Very limited Cutbanks cave	1.00	Somewhat limited Droughty	0.01
PfB: Fort Mott-----	30	Somewhat limited Frost action	0.50	Very limited Cutbanks cave	1.00	Not limited	
Patapsco-----	30	Not limited		Very limited Cutbanks cave Depth to saturated zone	1.00 0.28	Very limited Droughty Too sandy	1.00 0.50
PfC: Fort Mott-----	30	Somewhat limited Frost action Slope	0.50 0.01	Very limited Cutbanks cave Slope	1.00 0.01	Somewhat limited Droughty Slope	0.01 0.01
Patapsco-----	30	Somewhat limited Slope	0.01	Very limited Cutbanks cave Depth to saturated zone Slope	1.00 0.28 0.01	Very limited Droughty Too sandy Slope	1.00 0.50 0.01
PfD: Fort Mott-----	30	Somewhat limited Slope Frost action	0.63 0.50	Very limited Cutbanks cave Slope	1.00 0.63	Somewhat limited Slope Droughty	0.63 0.01
Patapsco-----	30	Somewhat limited Slope	0.63	Very limited Cutbanks cave Slope Depth to saturated zone	1.00 0.63 0.28	Very limited Droughty Slope Too sandy	1.00 0.63 0.50
PgB: Fort Mott-----	25	Somewhat limited Frost action	0.50	Very limited Cutbanks cave	1.00	Not limited	
Patapsco-----	25	Not limited		Very limited Cutbanks cave Depth to saturated zone	1.00 0.28	Very limited Droughty Too sandy	1.00 0.50
Urban Land-----	25	Not rated		Not rated		Not rated	

Table ENG-4.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
PgD: Fort Mott-----	25	Somewhat limited Frost action Slope	0.50 0.16	Very limited Cutbanks cave Slope	1.00 0.16	Somewhat limited Slope Droughty	0.16 0.01
Patapsco-----	25	Somewhat limited Slope	0.16	Very limited Cutbanks cave Depth to saturated zone Slope	1.00 0.28 0.16	Very limited Droughty Too sandy Slope	1.00 0.50 0.16
Urban Land-----	25	Not rated		Not rated		Not rated	
PpA: Pepperbox-----	60	Not limited		Very limited Cutbanks cave Too clayey	1.00 0.28	Somewhat limited Droughty	0.69
PrB: Pepperbox-----	30	Not limited		Very limited Cutbanks cave Too clayey	1.00 0.28	Somewhat limited Droughty	0.69
Urban Land-----	30	Not rated		Not rated		Not rated	
PT: Gravel And Borrow Pits-----	100	Somewhat limited Slope	0.01	Very limited Cutbanks cave Depth to saturated zone Slope	1.00 0.95 0.01	Somewhat limited Too sandy Slope Gravel content	0.50 0.01 0.01
RfA: Russett-----	65	Very limited Frost action Low strength	1.00 0.22	Very limited Depth to saturated zone Cutbanks cave	1.00 0.10	Not limited	
RfB: Russett-----	65	Very limited Frost action Low strength	1.00 0.22	Very limited Depth to saturated zone Cutbanks cave	1.00 0.10	Not limited	
RhB: Russett-----	30	Very limited Frost action Low strength	1.00 0.22	Very limited Depth to saturated zone Cutbanks cave	1.00 0.10	Not limited	

Table ENG-4.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Alloway-----	25	Very limited Frost action	1.00	Somewhat limited Depth to saturated zone Too clayey Cutbanks cave	0.99 0.28 0.10	Not limited	
Hambrook-----	20	Somewhat limited Frost action	0.50	Somewhat limited Depth to saturated zone Cutbanks cave	0.15 0.10	Not limited	
RhC: Russett-----	30	Very limited Frost action Low strength Slope	1.00 0.22 0.01	Very limited Depth to saturated zone Cutbanks cave Slope	1.00 0.10 0.01	Somewhat limited Slope	0.01
Alloway-----	25	Very limited Frost action Slope	1.00 0.01	Somewhat limited Depth to saturated zone Too clayey Cutbanks cave Slope	0.99 0.28 0.10 0.01	Somewhat limited Slope	0.01
Hambrook-----	20	Somewhat limited Frost action Slope	0.50 0.01	Very limited Cutbanks cave Depth to saturated zone Slope	1.00 0.15 0.01	Somewhat limited Slope	0.01
RhD: Russett-----	30	Very limited Frost action Slope Low strength	1.00 0.84 0.22	Very limited Depth to saturated zone Slope Cutbanks cave	1.00 0.84 0.10	Somewhat limited Slope	0.84
Alloway-----	25	Very limited Frost action Slope	1.00 0.63	Somewhat limited Depth to saturated zone Slope Too clayey Cutbanks cave	0.99 0.63 0.28 0.10	Somewhat limited Slope	0.63
Hambrook-----	20	Somewhat limited Slope Frost action	0.63 0.50	Very limited Cutbanks cave Slope Depth to saturated zone	1.00 0.63 0.15	Somewhat limited Slope	0.63
RkB: Russett-----	30	Very limited Frost action Low strength	1.00 0.22	Very limited Depth to saturated zone Cutbanks cave	1.00 0.10	Not limited	

Table ENG-4.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Alloway-----	25	Very limited Frost action	1.00	Somewhat limited Depth to saturated zone Too clayey Cutbanks cave	0.99 0.28 0.10	Not limited	
Urban Land-----	25	Not rated		Not rated		Not rated	
RyB: Russett-----	35	Very limited Frost action Low strength	1.00 0.22	Very limited Depth to saturated zone Cutbanks cave	1.00 0.10	Not limited	
Urban Land-----	35	Not rated		Not rated		Not rated	
SaB: Sassafras-----	60	Somewhat limited Frost action	0.50	Very limited Cutbanks cave	1.00	Not limited	
SaD: Sassafras-----	60	Somewhat limited Slope Frost action	0.84 0.50	Very limited Cutbanks cave Slope	1.00 0.84	Somewhat limited Slope	0.84
SfB: Sassafras-----	55	Somewhat limited Frost action	0.50	Very limited Cutbanks cave	1.00	Not limited	
ShA: Hambrook-----	40	Somewhat limited Frost action	0.50	Somewhat limited Depth to saturated zone Cutbanks cave	0.15 0.10	Not limited	
Sassafras-----	40	Somewhat limited Frost action	0.50	Very limited Cutbanks cave	1.00	Not limited	
SME: Sassafras-----	30	Very limited Slope Frost action	1.00 0.50	Very limited Cutbanks cave Slope	1.00 1.00	Very limited Slope	1.00
Croom-----	25	Very limited Slope Frost action	1.00 0.50	Very limited Cutbanks cave Slope	1.00 1.00	Very limited Slope Gravel content Droughty	1.00 0.50 0.06
SMF: Sassafras-----	30	Very limited Slope Frost action	1.00 0.50	Very limited Slope Cutbanks cave	1.00 1.00	Very limited Slope	1.00

Table ENG-4.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Croom-----	25	Very limited Slope Frost action	1.00 0.50	Very limited Slope Cutbanks cave	1.00 1.00	Very limited Slope Gravel content Droughty	1.00 0.50 0.06
SnB: Sassafras-----	35	Somewhat limited Frost action	0.50	Very limited Cutbanks cave	1.00	Not limited	
Urban Land-----	35	Not rated		Not rated		Not rated	
SnD: Sassafras-----	35	Somewhat limited Frost action Slope	0.50 0.16	Very limited Cutbanks cave Slope	1.00 0.16	Somewhat limited Slope	0.16
Urban Land-----	30	Not rated		Not rated		Not rated	
SoA: Elkton-----	40	Very limited Depth to saturated zone Shrink-swell Frost action	1.00 0.50 0.50	Very limited Depth to saturated zone Cutbanks cave	1.00 0.10	Very limited Depth to saturated zone	1.00
Shadyoak-----	40	Very limited Depth to saturated zone Shrink-swell Frost action	1.00 0.50 0.50	Very limited Depth to saturated zone Cutbanks cave	1.00 0.10	Very limited Depth to saturated zone	1.00
SpA: Shadyoak-----	45	Very limited Depth to saturated zone Shrink-swell Frost action	1.00 0.50 0.50	Very limited Depth to saturated zone Cutbanks cave	1.00 0.10	Very limited Depth to saturated zone	1.00
Elkton-----	40	Very limited Depth to saturated zone Shrink-swell Frost action	1.00 0.50 0.50	Very limited Depth to saturated zone Cutbanks cave	1.00 0.10	Very limited Depth to saturated zone	1.00
SrA: Elkton-----	30	Very limited Depth to saturated zone Shrink-swell Frost action	1.00 0.50 0.50	Very limited Depth to saturated zone Cutbanks cave	1.00 0.10	Very limited Depth to saturated zone	1.00

Table ENG-4.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Shadyoak-----	30	Very limited Depth to saturated zone Shrink-swell Frost action	1.00 0.50 0.50	Very limited Depth to saturated zone Cutbanks cave	1.00 0.10	Very limited Depth to saturated zone	1.00
Urban Land-----	30	Not rated		Not rated		Not rated	
SsA: Shrewsbury-----	60	Very limited Depth to saturated zone Frost action Shrink-swell	1.00 1.00 0.50	Very limited Depth to saturated zone Cutbanks cave	1.00 1.00	Very limited Depth to saturated zone	1.00
TsB: Tinton-----	65	Somewhat limited Frost action	0.50	Very limited Cutbanks cave	1.00	Somewhat limited Droughty	0.15
TsC: Tinton-----	65	Somewhat limited Frost action Slope	0.50 0.01	Very limited Cutbanks cave Slope	1.00 0.01	Somewhat limited Droughty Slope	0.15 0.01
TuB: Tinton-----	40	Somewhat limited Frost action	0.50	Very limited Cutbanks cave	1.00	Somewhat limited Droughty	0.15
Urban Land-----	30	Not rated		Not rated		Not rated	
TuC: Tinton-----	40	Somewhat limited Frost action Slope	0.50 0.01	Very limited Cutbanks cave Slope	1.00 0.01	Somewhat limited Droughty Slope	0.15 0.01
Urban Land-----	30	Not rated		Not rated		Not rated	
UfG: Udorthents-----	100	Not rated		Not rated		Not rated	
UoB: Udorthents-----	100	Somewhat limited Shrink-swell Frost action	0.50 0.50	Somewhat limited Depth to saturated zone Cutbanks cave	0.16 0.10	Not limited	
UoD: Udorthents-----	100	Somewhat limited Shrink-swell Frost action Slope	0.50 0.50 0.01	Somewhat limited Depth to saturated zone Cutbanks cave Slope	0.16 0.10 0.01	Somewhat limited Slope	0.01

Table ENG-4.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
UoE: Udorthents-----	100	Very limited Slope Shrink-swell Frost action	1.00 0.50 0.50	Very limited Slope Depth to saturated zone Cutbanks cave	1.00 0.16 0.10	Very limited Slope	1.00
UpB: Udorthents-----	65	Not rated		Not rated		Not rated	
UpC: Udorthents-----	65	Not rated		Not rated		Not rated	
UxB: Udorthents-----	60	Not rated		Not rated		Not rated	
UxD: Udorthents-----	60	Not rated		Not rated		Not rated	
UxE: Udorthents-----	60	Very limited Low strength Slope	1.00 1.00	Very limited Slope Cutbanks cave	1.00 0.10	Very limited Slope	1.00
Uz: Urban Land-----	100	Not rated		Not rated		Not rated	
W: Water-----	100	Not rated		Not rated		Not rated	
WBA: Widewater-----	40	Very limited Depth to saturated zone Frost action Flooding	1.00 1.00 1.00	Very limited Depth to saturated zone Cutbanks cave Flooding	1.00 1.00 0.80	Very limited Flooding Depth to saturated zone	1.00 1.00
Issue-----	30	Very limited Flooding Depth to saturated zone	1.00 0.19	Very limited Depth to saturated zone Flooding Cutbanks cave	1.00 0.80 0.10	Very limited Flooding Depth to saturated zone	1.00 0.19

Table ENG-4.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
WdA: Woodstown-----	60	Somewhat limited Frost action	0.50	Very limited Cutbanks cave Depth to saturated zone	1.00 1.00	Not limited	
WdB: Woodstown-----	100	Somewhat limited Frost action	0.50	Very limited Depth to saturated zone Cutbanks cave	1.00 0.10	Not limited	
WrB: Urban Land-----	40	Not rated		Not rated		Not rated	
Woodstown-----	40	Somewhat limited Frost action	0.50	Very limited Cutbanks cave Depth to saturated zone	1.00 1.00	Not limited	
ZBA: Zekiah-----	40	Very limited Depth to saturated zone Flooding	1.00 1.00	Very limited Depth to saturated zone Cutbanks cave	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00
		Frost action	0.50	Flooding	0.80		
Issue-----	30	Very limited Flooding	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60	Somewhat limited Flooding Depth to saturated zone	0.60 0.19
		Depth to saturated zone	0.19	Cutbanks cave	0.10		

